

LebanonTurf

Country Club[®]

Blended Fertilizer

16-0-30



METH-EX[®]

GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	30%
Sulfur (S)	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn)	0.7%
0.1% Water Soluble Manganese (Mn)	



22-35739

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate, Manganese Sucrate.

Chlorine (Cl) not more than 2.0%
*6.9% Slowly available Nitrogen from Methylene Ureas.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: <http://www.flaes.org/pdf/Green%20Industries%20BMP's.pdf>
FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf>

Application Rates

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre.
To feed at the rate of ½ lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

SUGGESTED SPREADER SETTINGS					
Spreader	1# K ₂ O/1,000 sq. ft.	½# K ₂ O/1,000 sq. ft.	Spreader	1# K ₂ O/1,000 sq. ft.	½# K ₂ O/1,000 sq. ft.
LebanonTurf	2	1½	Lesco (letter/Numeric)	D/9	C/7
Andersons AccuPro	E	D	PennMulch HVO	G	C
Earthway Rotary	10	8	ProScape SS	G	C
Gandy	21	19	Spyker	2	1½
Lely	2½ II	2 II	Vicon (all models)	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight


16-0-30



METH-EX®

GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
2.5% Water Insoluble Nitrogen*	
9.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	30%
Sulfur (S)	9.8%
9.8% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn)	0.7%
0.1% Water Soluble Manganese (Mn)	



0 88685 35739 8

F699

22-35739

j/13

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate, Manganese Sulfate.

Chlorine (Cl) not more than 2.0%
*6.9% Slowly available Nitrogen from Methylene Ureas.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: <http://www.flaes.org/pdf/Green%20Industries%20BMP's.pdf>

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf>

Application Rates

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre.
To feed at the rate of ½ lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 74 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1# K ₂ O/1,000 sq. ft.	½# K ₂ O/1,000 sq. ft.	Spreader	1# K ₂ O/1,000 sq. ft.	½#K ₂ O/1,000 sq. ft.
LebanonTurf	2	1½	Lesco (letter/Numeric)	D/9	C/7
Andersons AccuPro	E	D	PennMulch HVO	G	C
Earthway Rotary	10	8	ProScape SS	G	C
Gandy	21	19	Spyker	2	1½
Lely	2½ II	2 II	Vicon (all models)	17	15

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight