

LebanonTurf

# Country Club<sup>®</sup> MD

Maximum Dispersion



- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX<sup>®</sup> slow release nitrogen
- SGN 125 is ideal for low-cut turf on tees and fairways

# 16-4-8



### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	16%
11.8% Ammoniacal Nitrogen	
1.0% Water Insoluble Nitrogen*	
1.4% Urea Nitrogen	
1.8% Other Water Soluble Nitrogen *	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	8%
Magnesium (Mg) .....	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S) .....	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe) .....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.5%
0.5% Water Soluble Manganese (Mn)	



F699 **21-29089** h/14

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

Chlorine (Cl) not more than..... 2.0%  
\*2.8% Slowly Available Nitrogen from Methylene Urea.

**ALSO CONTAINS NON PLANT FOOD INGREDIENTS**  
**SOIL/PLANT AMENDING INGREDIENTS**  
Active Ingredients:  
Humic Acids (derived from Leonardite) ..... 1.0%  
Inert Ingredients ..... 99.0%  
99.0% Fertilizer Ingredients  
Country Club MD products contain humic acids, which may aid in nutrient availability.

**DIRECTIONS FOR USE**  
Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

### Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.6 lbs. per 1,000 sq. ft. or 244 lbs. per acre.  
To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs. per 1,000 sq. ft. or 135 lbs. per acre.

SUGGESTED SPREADER SETTINGS					
Spreader	0.9# N/1,000 sq. ft.	0.5#N/1,000 sq. ft.	Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
LebanonTurf	4 1/2	3	Lesco (letter/Numeric)	I/17	H/15
Andersons AccuPro	K	G	PennMulch HVO	L	i
Earthway Rotary	15	12	ProScape SS	L	i
Gandy	26	23	Spyker	4 1/2	3
Lely	5 II	4 II	Vicon (all models)	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

PennMulch<sup>®</sup> and ProScape<sup>®</sup> are registered trademarks of Lebanon Seaboard Corporation.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

## CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042  
800-233-0628 • (717-273-1685)

**50 Lbs. (22.7 kg) Net Weight**

**LebanonTurf**



# Country Club<sup>®</sup> MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX<sup>®</sup> slow release nitrogen
- SGN 125 is ideal for low-cut turf on tees and fairways

# 16-4-8



## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	16%
11.8% Ammoniacal Nitrogen	
1.0% Water Insoluble Nitrogen*	
1.4% Urea Nitrogen	
1.8% Other Water Soluble Nitrogen *	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	8%
Magnesium (Mg) .....	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S) .....	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe) .....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.5%
0.5% Water Soluble Manganese (Mn)	



F699 **21-29089**

h/14

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

Chlorine (Cl) not more than ..... 2.0%  
 \*2.8% Slowly Available Nitrogen from Methylene Urea.

### ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:  
 Humic Acids (derived from Leonardite) ..... 1.0%  
 Inert Ingredients ..... 99.0%  
 99.0% Fertilizer Ingredients

Country Club MD products contain humic acids, which may aid in nutrient availability.

### DIRECTIONS FOR USE

Apply anytime during the turf growing season; however, when the weather is extremely hot, it is best to delay or reduce fertilizer applications.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

### Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.6 lbs. per 1,000 sq. ft. or 244 lbs. per acre.  
 To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs. per 1,000 sq. ft. or 135 lbs. per acre.

SUGGESTED SPREADER SETTINGS					
Spreader	0.9# N/1,000 sq. ft.	0.5#N/1,000 sq. ft.	Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
LebanonTurf	4½	3	Lesco (letter/Numeric)	I/17	H/15
Andersons AccuPro	K	G	PennMulch HVO	L	i
Earthway Rotary	15	12	ProScape SS	L	i
Gandy	26	23	Spyker	4½	3
Lely	5 II	4 II	Vicon (all models)	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

# CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

## WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

**50 Lbs. (22.7 kg) Net Weight**