



Country Club[®]

FERTILIZER




FAIRWAY GRADE FORMULA
HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF
 COVERS 10,500 SQ. FT.

21-3-18



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
0.6% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
6.1% Urea Nitrogen	
8.8% Other Water Soluble Nitrogen*	
Available Phosphate (P₂O₅)	3%
Soluble Potash (K₂O)	18%
Magnesium (Mg)	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S)	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn)	0.2%
0.2% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%
*14.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-41663**

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gltbmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

DIRECTIONS FOR USE: Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications. To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 4.8 lbs. per 1,000 sq. ft. or 207 lbs. per acre.

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)		Ground MPH	PTO RPM		Regular (1#N)	Half (½#N)
LebanonTurf	3		8 ft.	5½	4½	Lesco® (Letter Dial)	3		8 ft.	K	I
Andersens AccuPro®	3		8 ft.	O	J	PennMulch® HVO	3		8 ft.	N	J
Earthway® Rotary	3		8 ft.	18	15	ProScape® SS	3		8 ft.	N	J
Gandy®	3			30	26	Spyker	3		8 ft.	5½	4½
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	6½II	5II	Vicon (all models)	5	540	35 ft.	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

Fertilizer may cause irritation of eyes, nose, throat and skin.
In case of contact with skin or eyes, flush with plenty of water;
for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN.
CAUTION

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
 1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight

FAIRWAY GRADE FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

COVERS 10,500 SQ. FT.

21-3-18



GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
0.6% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
6.1% Urea Nitrogen	
8.8% Other Water Soluble Nitrogen*	
Available Phosphate (P₂O₅)	3%
Soluble Potash (K₂O)	18%
Magnesium (Mg).....	0.6%
0.6% Water Soluble Magnesium (Mg)	
Sulfur (S).....	5.6%
5.6% Combined Sulfur (S)	
Iron (Fe)	0.4%
0.4% Water Soluble Iron (Fe)	
Manganese (Mn).....	0.2%
0.2% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than.....	2.0%
*14.3% Slowly Available Nitrogen from Methylene Ureas.	



F699 **21-41663**

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glbmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

DIRECTIONS FOR USE: Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications. To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft., apply this product at 4.8 lbs. per 1,000 sq. ft. or 207 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground	PTO		Regular	Half		Ground	PTO		Regular	Half
	MPH	RPM		(1#N)	(½#N)		MPH	RPM		(1#N)	(½#N)
LebanonTurf	3		8 ft.	5½	4½	Lesco® (Letter Dial)	3		8 ft.	K	I
Andersens AccuPro®	3		8 ft.	0	J	PennMulch® HVO	3		8 ft.	N	J
Earthway® Rotary	3		8 ft.	18	15	ProScape® SS	3		8 ft.	N	J
Gandy®	3			30	26	Spyker	3		8 ft.	5½	4½
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	6½II	5II	Vicon (all models)	5	540	35 ft.	30	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

**Fertilizer may cause irritation of eyes, nose, throat and skin.
In case of contact with skin or eyes, flush with plenty of water;
for eyes, get medical attention.**

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight