

# MID SIZE FERTILIZER

## METH-EX 40

### and expo

# 25-0-15

## Mid Size Fertilizer



#### GUARANTEED ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>25%</b>
3.9% Water Insoluble Nitrogen*	
14.8% Urea Nitrogen	
6.3% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>15%</b>
<b>Sulfur (S)</b> .....	<b>5.1%</b>
5.1% Combined Sulfur (S)	
<b>Iron (Fe)</b> .....	<b>2.0%</b>
0.4% Water Soluble Iron (Fe)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.	
Chlorine (Cl) not more than.....	2.0%
*10.2% Slowly Available Nitrogen from Methylene Ureas.	



0 88685 52045 7

**22-52045**

F699

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

#### APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4 lbs. per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2 lbs. per 1,000 sq. ft. or 87 lbs. per acre.

#### PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

## KEEP OUT OF REACH OF CHILDREN CAUTION

	SUGGESTED SPREADER SETTINGS				
	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		4.0 lbs. (1# N)	2.0 lbs. (1/2# N)
LebanonTurf / Spyker	3		8 ft.	3	2
Cyclone	3		8 ft.	3 1/2	3
Earthway Rotary	3		8 ft.	12	10
Ezee Flow (109)	5	540	30 ft.	C2 1/2	C2
Gandy	3			27	23
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5 1/2 II	4 1/2 II
Lely (W)	5	425	39 ft.	5 1/2 II	4 1/2 II
Lesco (Letter/Numeric)	3		8 ft.	1/17	G/15
Ortho Rotary	3		6 ft.	2 1/2	2
PennMulch® HVO	3		8 ft.	J	E
Prizelawn BF & CBR111	3		8 ft.	J	E
Prizelawn CBR11	3		8 ft.	2 1/2	2
Prizelawn LF-1	3		8 ft.	2	1 1/2
Republic Rotary	3		6 ft.	2	1 1/2
ProScape® SS	3		8 ft.	J	E
Scotts AccuPro	3		8 ft.	F	D
Scotts (Rotary) R7x/R8A	3		8 ft.	F/J	D/H
Vicon (all models)	5	540	35 ft.	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit [www.LebanonTurf.com/turf](http://www.LebanonTurf.com/turf)

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/golfbmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042

[www.LebanonTurf.com](http://www.LebanonTurf.com)

MADE IN THE U.S.A.

**NET WT. 50 LBS. (22.68 Kg)**


# 25-0-15

## Mid Size Fertilizer



### GUARANTEED ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>25%</b>
3.9% Water Insoluble Nitrogen*	
14.8% Urea Nitrogen	
6.3% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>15%</b>
Sulfur (S).....	5.1%
5.1% Combined Sulfur (S)	
Iron (Fe) .....	2.0%
0.4% Water Soluble Iron (Fe)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.	
Chlorine (Cl) not more than.....	2.0%
*10.2% Slowly Available Nitrogen from Methylene Ureas.	



**22-52045**

F699

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

### APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4 lbs. per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2 lbs. per 1,000 sq. ft. or 87 lbs. per acre.

### PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

# KEEP OUT OF REACH OF CHILDREN

## CAUTION

### SUGGESTED SPREADER SETTINGS

	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		4.0 lbs. (1# N)	2.0 lbs. (½# N)
LebanonTurf / Spyker	3		8 ft.	3	2
Cyclone	3		8 ft.	3½	3
Earthway Rotary	3		8 ft.	12	10
Ezee Flow (109)	5	540	30 ft.	C2½	C2
Gandy	3			27	23
Lely (HR, 1250, 1500, 2010)	5		39 ft.	5½II	4½II
Lely (W)	5	425	39 ft.	5½II	4½II
Lesco (Letter/Numeric)	3		8 ft.	1/17	G/15
Ortho Rotary	3		6 ft.	2½	2
PennMulch® HVO	3		8 ft.	J	E
Prizelawn BF & CBRIII	3		8 ft.	J	E
Prizelawn CBRII	3		8 ft.	2½	2
Prizelawn LF-1	3		8 ft.	2	1½
Republic Rotary	3		6 ft.	2	1½
ProScape® SS	3		8 ft.	J	E
Scotts AccuPro	3		8 ft.	F	D
Scotts (Rotary) R7x/R8A	3		8 ft.	F/J	D/H
Vicon (all models)	5	540	35 ft.	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit [www.LebanonTurf.com/turf](http://www.LebanonTurf.com/turf)

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:  
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Manufactured by:**

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

[www.LebanonTurf.com](http://www.LebanonTurf.com)

**MADE IN THE U.S.A.**

**NET WT. 50 LBS. (22.68 Kg)**