

VIVAX™ 10G

HYDRATION AND INFILTRATION
GRANULAR SOIL SURFACTANT



CONTAINS NON-PLANT FOOD INGREDIENT(S)

ACTIVE INGREDIENTS

10% Proprietary blend of soil surfactants
90% Cellulose Complex
100% TOTAL

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

May be harmful if swallowed. Causes mild skin irritation. Causes eye irritation. May be harmful if inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling.

FIRST AID

If Swallowed: Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

If Inhaled: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin: Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical advice or attention.

GENERAL INFORMATION

VIVAX 10G is a combination of surfactants that increase volumetric water content and improve water infiltration across a wide range of soils and turf types. Its improved environmental profile and granular formulation make VIVAX 10G suitable for use on all golf courses, athletic fields and residential or commercial turf.

DIRECTIONS FOR USE

To achieve the best results, apply VIVAX 10G using the application techniques described below.

VIVAX 10G can be applied at any time of the year, using conventional fertilizer spreaders. VIVAX 10G can be applied prior to the onset of turf stress or as a curative treatment later in the growing season.

APPLICATION TECHNIQUES

Apply to dry turf only. Following the application, irrigate with enough water to remove the active ingredient from the carrier and move it into the root zone. VIVAX 10G granules may be picked up by reel mowers. To prevent mower pickup, remove mower baskets until the granules have been exposed to a full irrigation cycle.

USE RATES

Apply 3.5 lbs. (1.587 kg) per 1000 square feet (92.9 m²) on 30 day intervals to relieve the symptoms of LDS.

SPREADER SETTINGS

Spreader settings are recommendations only and should be considered as a starting point from which to calibrate the spreader. Results may vary based on equipment, application techniques and environmental variables beyond the manufacturer's control. Spreaders should be calibrated prior to making the initial application of VIVAX 10G and recalibrated prior to subsequent applications.

	Width (ft.)	Setting	3.5 lbs/1000 (1.587 kg)
Scott R-8A	5	4	H 1/2
	9	4	I 1/2
Lesco	5	Open	C
	9	Open	D
Spyker	11	-	-

STORAGE AND DISPOSAL

Store in a cool, dry place away from oxidizing agents. Keep bags closed at all times. Dispose of in accordance with federal, state and local regulations. Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

CONDITIONS OF SALE

Note: Read the information contained herein before buying or using this product. If the stated terms are not acceptable, return the product at once, unopened. It is critical that this product be used and mixed only as specified on this label. Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, with respect to the results from the use of this material. Buyer and user assume all risks of use and/or handling. Precision Laboratories, LLC warrants that this material is reasonably fit for use as specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond Precision's control prevent elimination of risks in connection with the use of its chemicals. Such risks include, but are not limited to, damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated herein and even though label directions are followed. Follow directions carefully. Timing, mixture, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of the company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved.

NET CONTENTS: 42 LBS.