



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

1/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE
Product code (UVP) 79124899
SDS Number 102000015239
EPA Registration No. 432-1464

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation : Category 2B
Acute toxicity (Oral, Inhalation): Category 4
Flammable liquids : Category 4



Signal word: Warning

Hazard statements

Causes eye irritation.
Harmful if swallowed or if inhaled.
Combustible liquid

Precautionary statements



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

2/11

Version 3.0 / USA
102000015239

Revision Date: 11/18/2014
Print Date: 04/16/2016

Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid breathing mist and spray.
Use only outdoors or in a well-ventilated area.
Keep away from open flames/hot surfaces. - No smoking.
Wear protective gloves and eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local regulation.

Other hazards

This product contains an cholinesterase inhibitor.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Trichlorfon	52-68-6	37.30
2-(2-Methoxyethoxy)ethanol	111-77-3	62.70

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

3/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms The symptoms of cholinesterase inhibition include: Nausea, Salivation, Blurred vision, Constriction of pupils, Lacrimation, Vomiting, Diarrhoea, Abdominal pain, Dizziness, Sweating

Indication of any immediate medical attention and special treatment needed

Risks Cholinesterase inhibitor

Treatment The following antidotes are generally accepted: atropin and oximes.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO₂), Dry chemical, Foam, Water spray

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Flash point 84.4 °C

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

4/11

Version 3.0 / USA
102000015239

Revision Date: 11/18/2014
Print Date: 04/16/2016

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trichlorfon	52-68-6	1 mg/m ³	02 2012	ACGIH



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

5/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

(Inhalable fraction.)		(TWA)		
Trichlorfon	52-68-6	0.28 mg/m3 (TWA)		OES BCS*
Trichlorfon	52-68-6	10ug/m3 (ST ESL)	07 2011	TX ESL
Trichlorfon	52-68-6	1ug/m3 (AN ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	270ug/m3 (ST ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	50ppb (ST ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	27ug/m3 (AN ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	5ppb (AN ESL)	07 2011	TX ESL

No control parameters known.

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

colourless

Physical State

liquid, clear

Odor

characteristic

Odour Threshold

no data available

pH

ca. 2.3 at 10 % (20 °C) (deionized water)

Vapor Pressure

no data available



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

6/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

Vapor Density (Air = 1)	no data available
Density	ca. 1.18 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	-4 °C / 24.8 °F
Water solubility	soluble
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	not applicable
Viscosity	no data available
Flash point	84.4 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. freezing
Incompatible materials	Strong oxidizing agents, Bases
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion, Inhalation
Immediate Effects	



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

7/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

Eye	Moderate eye irritation.
Skin	May cause slight irritation. Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity	LD50 (female rat) 1,098 mg/kg
Acute inhalation toxicity	LC50 (rat) > 2.05 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested No deaths LC50 (rat) > 8.2 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Moderate eye irritation. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Trichlorfon did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Trichlorfon was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Trichlorfon was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Trichlorfon	52-68-6	Group A4
-------------	---------	----------

NTP

None.

IARC

Trichlorfon	52-68-6	Overall evaluation: 3
-------------	---------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Trichlorfon is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

8/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

Trichlorfon did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Biodegradability	Trichlorfon: ; rapidly biodegradable
Koc	Trichlorfon: Koc: 0
Bioaccumulation	Trichlorfon: Bioconcentration factor (BCF) 0.41; Does not bioaccumulate.
Mobility in soil	Trichlorfon: Highly mobile in soils
Environmental precautions	Apply this product as specified on the label. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of unused product by incineration at a licensed incineration plant, in accordance with all applicable national and local regulations.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

9/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

49CFR

UN number	3082
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (TRICHLORFON)
RQ	Reportable Quantity is reached with 268 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRICHLORFON SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRICHLORFON SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1464

US Federal Regulations

TSCA list

2-(2-Methoxyethoxy)ethanol 111-77-3

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Trichlorfon	52-68-6	25,000lbs
-------------	---------	-----------

2-(2-Methoxyethoxy)ethanol	111-77-3	25,000lbs
----------------------------	----------	-----------

US States Regulatory Reporting



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

10/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Trichlorfon	52-68-6	CA, CT, IL, NJ, RI
2-(2-Methoxyethoxy)ethanol	111-77-3	IL, NJ, RI

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

Trichlorfon	52-68-6	100 lbs
2-(2-Methoxyethoxy)ethanol	111-77-3	

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.
Moderate eye irritation.
Do not take internally.
Do not get in eyes, on skin, or on clothing.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE

Version 3.0 / USA
102000015239

11/11
Revision Date: 11/18/2014
Print Date: 04/16/2016

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 11/18/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.