



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

1/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SEVIN® SL CARBARYL INSECTICIDE

Product code (UVP) 05927226

SDS Number 102000004253

EPA Registration No. 432-1227

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information Telephone Number 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Oral): Category 4

Carcinogenicity : Category 2



Signal word: Warning

Hazard statements

Harmful if swallowed.

Suspected of causing cancer.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

2/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

This product contains an cholinesterase inhibitor.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Carbaryl	63-25-2	43.00
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	1.10

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes., Bradycardia, Low blood pressure, Salivation, Bronchial hypersecretion, Vomiting, Diarrhoea, Sweating, Muscular fasciculation, Spasm, Breathing difficulties, Respiratory
-----------------	---



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

3/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

paralysis, Somnolence, Coma, Respiratory failure, Hypothermia,
Convulsions, Nausea

Indication of any immediate medical attention and special treatment needed

Risks

This product is a cholinesterase inhibitor carbamate.

Treatment

Monitor: respiratory, cardiac and central nervous system. Monitor: blood picture. Monitor: red blood cell and plasma cholinesterase. ECG - monitoring (Electrocardiogram). Oxygen or artificial respiration if needed. Keep respiratory tract clear. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. The following antidote is generally accepted: atropine. Before antidote is administered, either clear symptoms of poisoning have to be present or the cholinesterase activity is inhibited to below 30% of normal. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Contraindications: oximes (pralidoxime, obidoxime).

Do not use oximes such as 2-PAM unless organophosphate intoxication is suspected. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Contraindications: derivatives of morphine.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable

Water spray, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable

None known.

Special hazards arising from the substance or mixture

In the event of fire the following may be released: Carbon monoxide (CO), Nitrogen oxides (NO_x)

Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information

Keep out of smoke. Fight fire from upwind position. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point

> 100 °C

Autoignition temperature

no data available

Lower explosion limit

2.6 %(V)

Upper explosion limit

19 %(V)



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

4/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

Methods and materials for containment and cleaning up

Methods for cleaning up Dike area to prevent runoff. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Check also for any local site procedures.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Contaminated work clothing should not be allowed out of the workplace. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

5/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Carbaryl	63-25-2	0.5 mg/m3 (TWA)		OES BCS*
Carbaryl (Inhalable fraction and vapor.)	63-25-2	0.5 mg/m3 (TWA)	02 2012	ACGIH
Carbaryl	63-25-2	5 mg/m3 (REL)	2010	NIOSH
Carbaryl	63-25-2	5 mg/m3 (PEL)	02 2006	OSHA Z1
Carbaryl	63-25-2	5 mg/m3 (TWA)	1989	OSHA Z1A
Carbaryl	63-25-2	5 mg/m3 (TWA)	06 2008	TN OEL
Carbaryl	63-25-2	0.5ug/m3 (AN ESL)	07 2011	TX ESL
Carbaryl	63-25-2	5ug/m3 (ST ESL)	07 2011	TX ESL
Carbaryl	63-25-2	5 mg/m3 (TWA PEL)	08 2010	US CA OEL
Synthetic amorphous silica	112926-00-8	6 mg/m3 (REL)	2010	NIOSH
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	1989	OSHA Z1A
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	06 2008	TN OEL
Synthetic amorphous silica (Particulate.)	112926-00-8	2ug/m3 (AN ESL)	02 2013	TX ESL
Synthetic amorphous silica (Particulate.)	112926-00-8	27ug/m3 (ST ESL)	02 2013	TX ESL
Synthetic amorphous silica	112926-00-8	20millions of particles per cubic foot of air (TWA)	2000	Z3
Synthetic amorphous silica	112926-00-8	0.8 mg/m3 (TWA)	2000	Z3
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m3 (AN ESL)	02 2013	TX ESL



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

6/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL
-------------------------------	---------	-------------------	------	------

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Cholinesterase activity of the worker should be supervised. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry. Eye wash facility and safety shower should be available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to beige
Physical State	liquid suspension
Odor	mild
Odour Threshold	no data available
pH	4.0 - 5.0 at 100 %
Vapor Pressure	23.7 hPa / 17.8 mm Hg at 20 °C
Vapor Density (Air = 1)	no data available
Density	1.10 g/cm ³ at 20 °C
Evaporation rate	not applicable
Boiling Point	98.8 °C / 209.84 °F
Melting / Freezing Point	-3 °C / 26.6 °F
Water solubility	miscible



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

7/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Minimum Ignition Energy	not applicable
Decomposition temperature	175 - 190 °C Exothermic decomposition.
Partition coefficient: n-octanol/water	no data available
Viscosity	500 - 700 mPa.s
Flash point	> 100 °C
Autoignition temperature	no data available
Lower explosion limit	2.6 %(V)
Upper explosion limit	19 %(V)
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	175 - 190 °C Exothermic decomposition.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong acids, Bases
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Skin contact, Eye contact
Immediate Effects	
Eye	Causes redness, irritation, tearing.
Skin	Harmful if absorbed through skin. May produce symptoms similar to those from ingestion.



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

8/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Ingestion Harmful if swallowed. This product causes reversible cholinesterase inhibition without long term effects. Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced symptoms. May lead to rapid onset of nausea, vomiting, diarrhea, abdominal pain, involuntary shaking, excess salivation, pinpoint pupils, blurred vision, profuse sweating, temporary paralysis, respiratory depression, and convulsions.

Inhalation Harmful if inhaled. May produce symptoms similar to those from ingestion.

Information on toxicological effects

Acute oral toxicity LD50 (rat) 699 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) \geq 3.84 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
Highest attainable concentration.

LC50 (male/female combined rat) 15.2 mg/l
Exposure time: 1 h
Extrapolated from the 4 hr LC50.
Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (male/female combined rabbit) $>$ 4,000 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritation Slight irritation (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Carbaryl caused reversible cholinesterase inhibition without long term effects in animal studies.

Assessment Mutagenicity

Carbaryl was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Carbaryl caused at high dose levels an increased incidence of tumours in the following organ(s): liver, thyroid, kidneys, cardio-vascular system. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

ACGIH

Carbaryl 63-25-2 Group A4

NTP

None.

IARC

Carbaryl 63-25-2 Overall evaluation: 3

OSHA

None.



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

9/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Assessment toxicity to reproduction

Carbaryl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Carbaryl did not cause developmental toxicity in rats and rabbits.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Rainbow trout (*Oncorhynchus mykiss*)) 1.4 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Water flea (*Daphnia magna*)) 0.00067 mg/l
Exposure time: 48 h

EC50 (*Mysidopsis bahia* (mysid shrimp)) 0.0088 mg/l
Exposure time: 96 h

Toxicity to aquatic plants (*Selenastrum capricornutum*) 1.8 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

Environmental precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Do not apply when weather conditions favor runoff or drift.
Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.
Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.
Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Follow container label instructions for disposal of wastes generated during use in compliance with the product label.

Contaminated packaging Triple rinse containers.
Puncture container to avoid re-use.



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

10/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.
If burned, stay out of smoke.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3082
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CARBARYL)
RQ	Reportable Quantity is reached with 232 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CARBARYL SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CARBARYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

11/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

EPA Registration No. 432-1227

US Federal Regulations

TSCA list

Carbaryl	63-25-2
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Carbaryl	63-25-2	25,000lbs
----------	---------	-----------

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Carbaryl	63-25-2
----------	---------

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Carbaryl	63-25-2	Developmental toxin.
Carbaryl	63-25-2	Male reproductive toxin.

US State Right-To-Know Ingredients

Carbaryl	63-25-2	CA, CT, MN, NJ
----------	---------	----------------

Canadian Regulations

Canadian Domestic Substance List

Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5
--	------------

Environmental

CERCLA

Carbaryl	63-25-2	100 lbs
----------	---------	---------

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Carbaryl	63-25-2
----------	---------

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



SEVIN® SL CARBARYL INSECTICIDE

Version 3.0 / USA
102000004253

12/12
Revision Date: 08/08/2014
Print Date: 05/04/2015

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Harmful if gets in eyes.
Avoid contact with skin, eyes and clothing.
Avoid inhalation of vapour or mist.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 08/08/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.