

SAFETY DATA SHEET
Solitaire® Herbicide

SDS # : 6515-A
Revision date: 2016-05-26
Format: NA
Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Solitaire® Herbicide

Other means of identification

Product Code(s) 6515-A

Synonyms SULFENTRAZONE (FMC 97285):
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)
methanesulfonanilide (IUPAC name);
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)

QUINCLORAC: 3,7-dichloroquinoline-8-carboxylic acid; 3,7-dichloro-8-quinolinecarboxylic
acid;

Active Ingredient(s) Sulfentrazone, Quinclorac

Chemical Family Triazolinones

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Warning****Hazard Statements**

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family** Triazolinones.

Chemical name	CAS-No	Weight %
Quinclorac	84087-01-4	56.25
Sulfentrazone	122836-35-5	18.75
Kaolin	1332-58-7	1-5
Toluene	108-88-3	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES**Eye Contact**

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin Contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Inhalation

Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Ingestion

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms of overexposure include convulsions, decreased locomotion, tearing, increased sensitivity to touch, bloody discharge from the nose and incoordination.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry chemical. Soft stream or water fog only if necessary.

Specific Hazards Arising from the Chemical None known

Explosion data

Sensitivity to Mechanical Impact Not sensitive.

Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment Sweep up and shovel into suitable containers for disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and well-ventilated place. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Kaolin (1332-58-7)	TWA: 2 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 10 mg/m ³ Mexico: STEL 20 mg/m ³

Toluene (108-88-3)	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³	Mexico: TWA 50 ppm Mexico: TWA 188 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Kaolin (1332-58-7)	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³ respirable	TWA: 2 mg/m ³
Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Protective gloves
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Granules
Physical State	Solid
Color	No information available
Odor	No information available
Odor threshold	No information available
pH	4.3
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	32 - 35.4 lb/cu ft
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available

Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx). Nitrogen oxides (NOx). Sulfur oxides. Hydrogen chloride. Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	3110 mg/kg (rat)
LD50 Dermal	> 5000 mg/kg (rat)
LC50 Inhalation	> 2.06 mg/L (rat) 4 hr
Serious eye damage/eye irritation	Mildly irritating.
Skin corrosion/irritation	Moderately irritating (rabbit).
Sensitization	Non-sensitizing

Information on toxicological effects

Symptoms	Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.
----------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Quinclorac: Prolonged exposure caused decreased body weight, increased liver enzyme and focal chronic interstitial nephritis. Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit, and increased spleen weight and splenic extramedullary hematopoiesis at high doses in animal studies.
Mutagenicity	Quinclorac: Sulfentrazone: Not genotoxic in laboratory studies.
Carcinogenicity	Quinclorac, Sulfentrazone: No evidence of carcinogenicity from animal studies.
Neurological effects	Quinclorac: No neurotoxicity observed in animal studies. Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.
Reproductive toxicity	Quinclorac: Sulfentrazone: No toxicity to reproduction in animal studies.
Developmental toxicity	Quinclorac: Not teratogenic in animal studies. Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.
STOT - single exposure	Not classified.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects	Liver, kidney, Hematopoietic system

Neurological effects

Quinclorac: No neurotoxicity observed in animal studies. Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Aspiration hazard

No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Quinclorac (84087-01-4)				
Active Ingredient(s)	Duration	Species	Value	Units
Quinclorac	72 h EC50	Algae	6.53	mg/L
	48 h EC50	Daphnia	29.8	mg/L
	96 h LC50	Fish	>100	mg/L
	21 d NOEC	Crustacea	50.4	mg/L

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Persistence and degradability

Quinclorac, Sulfentrazone: Persistent. Does not readily hydrolyze.

Bioaccumulation

Quinclorac, Sulfentrazone: The substance does not have a potential for bioconcentration.

Mobility

Quinclorac, Sulfentrazone: Mobile, Has potential to reach ground water.

13. DISPOSAL CONSIDERATIONS**Waste disposal methods**

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated Packaging

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION**DOT**

This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

TDG

Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

UN/ID no

UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.
Hazard class 9
Packing Group III
Marine Pollutant Sulfentrazone.
Description UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

ICAO/IATA

UN/ID no UN3077
Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.
Hazard class 9
Packing Group III
Description UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

IMDG/IMO

UN/ID no UN3077
Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.
Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Sulfentrazone
Description UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb			X
Naphthalene 91-20-3	100 lb	X	X	X
Toluene 108-88-3	1000 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances
---------------	--------------------------	--------------------------------

Solitare® Herbicide

SDS #: 6515-A
 Revision date: 2016-05-26
 Version 1.04

		RQs
Formaldehyde 50-00-0	100 lb 45.4 kg	100 lb
Naphthalene 91-20-3	100 lb 45.4 kg	
Toluene 108-88-3	1000 lb 454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Kaolin 1332-58-7	X	X	X
Toluene 108-88-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Quinclorac 84087-01-4		X	X		X		X	X
Kaolin 1332-58-7	X	X	X	X	X	X	X	X
Toluene 108-88-3	X	X	X	X	X	X	X	X

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Kaolin		Mexico: TWA 10 mg/m ³ Mexico: STEL 20 mg/m ³
Toluene		Mexico: TWA 50 ppm Mexico: TWA 188 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Formaldehyde	100 2500 kg/yr	100 kg/yr

Toluene	1000 5000 kg/yr	1000 kg/yr
---------	--------------------	------------

WHMIS Hazard Class D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 0	Physical hazard 0	Personal Protection X

Revision date: 2016-05-26
 Reason for revision: Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet